



**ENVIRONMENT
AGENCY**

Site Licence No: 4/L/93/0528

Site Operator: F. Watson & Sons

**Site Address: Rose Cottage
Little Stoke
Stone**



INTERNAL-1



OTHER - 2





**ENVIRONMENT
AGENCY**

**ENVIRONMENTAL PROTECTION ACT 1990
SECTION 37(1)(a)**

**WASTE MANAGEMENT LICENCE
NOTICE OF MODIFICATION**

LICENCE REF NO:- 4/L/95/0528	FACILITY TYPE:- METAL RECYCLING SITE
LICENCE HOLDER:- F. Watson & Sons Rose Cottage Little Stoke Stone	LICENSED FACILITY:- Rose Cottage Little Stoke Stone

WHEREAS on the 20 April 1993 the Staffordshire County Council issued a disposal licence in pursuance of their powers under Part 1 of the Control of Pollution Act 1974 for the above named facility


AND WHEREAS on the 1st May 1994 the said licence fell to be treated as a waste management licence

AND WHEREAS on the 1st April 1996 the powers and duties of all waste regulation authorities in England and Wales transferred to the Agency by virtue of section 2 of the Environment Act 1995

AND WHEREAS the Agency considers a modification of the said licence to be desirable and is unlikely to require an unreasonable expense on the part of the licence holder

NOTICE IS HEREBY GIVEN that the Agency modifies the following conditions of the said licence :-

So that the conditions of the licence, as modified, are specified in the attached schedule

Signed  Name P. B. Taylor
For and on behalf of the Area Waste Manager - Upper Trent

Date 12/8/97

Such Modification to take effect on 29 August 1997 at 12.00 noon

YOUR ATTENTION IS DRAWN TO THE RIGHTS OF APPEAL ATTACHED TO THIS NOTICE

Upper Trent Area, Sentinel House, Wellington Crescent, Fradley Park, Lichfield, WS13 8RR





Site Address: Rose Cottage, Little Stoke, Stone, Staffordshire, ST15 8QU

Operator: F. Watson & Sons

Reference: 4/L/95/0528

A. GENERAL

A.1 This licence shall apply to the land (hereinafter called "the site") shown shaded pink on the plan labelled "Location Plan Scale 1:2500" submitted with the Waste Disposal Licence Application.

A.2 Subject to the following conditions the site shall be operated in accordance with the operational plan, drawing number 1991/1 of scale 1:500 and all other stated intentions within and submitted with the Waste Disposal Licence Application, which collectively shall be known as the Working Plan.

A.3 In the event of any temporary cessation of operations for a period in excess of 3 months the licence holder shall give not less than 14 days notice to the Waste Disposal Authority (the "WDA") of the proposed recommencement of operations.

A.4 The site shall be manned and supervised during working hours.

A.5 The operation of the site shall be restricted to the following times:

Monday to Friday	between	7.00 am and 9.00 pm
Saturdays	between	7.00 am and 8.00 pm
Sundays	between	9.00 am and 1.00 pm
Bank Holidays	between	7.00 am and 9.00 pm

and no operations shall take place outside these hours.

A.6 A site control office, shall be provided at the location shown in accordance with the working plan. A telephone connected to a public telephone system shall be provided at the site control office.

A.7 The terms of this licence shall be made known to any person who is given responsibility for the management or control of the site and a copy of this licence and the working plan shall be displayed at the site control office.

A.8 Fencing shall be erected as detailed in the working plan and statement and shall be maintained so as to impede unauthorised access and prevent accidental access to the site.

A.9 A gate or similar device shall be erected at each entrance to the site and shall be kept closed and locked at all times the site is unattended.





- A.10** The gate or similar device at each entrance to the site shall be maintained so as to impede unauthorised access and prevent accidental access to the site.
- A.11** Operations shall not take place within the site during the hours of darkness unless site lighting is provided, maintained and used.
- A.12** A site identification board of durable material and finish shall be displayed at the site entrance, showing the hours when the site is open and giving the name of the site, the licence reference number 0528, the name, address and telephone number of the operator and of the WDA responsible for issuing the site licence and shall include the words "Private Site".
- A.13** Any tank used for the storage of any liquid within the site shall be of a type and construction suitable for the liquid to be contained and shall at all times bear a conspicuous label stating the contents of the tank.
- A.14** Any tank used for the storage of any liquid within the site shall be contained in a bunded compound which shall have a minimum capacity of 110% of the capacity of the largest tank. The floor and walls of the compound shall be impervious to the contents of the tank and the drain valves of the compound shall be kept closed and locked.
- A.15** All pressurised gas bottles shall be stored in a secure area or building designated for the purpose.





B. PERMITTED WASTES

B.1 Materials which are permitted to be stored within the site under this licence at any time shall be restricted as follows:

A maximum in total of 4,000 tonnes of the materials listed in Appendix B(ii)

A maximum in total of 3 capacitors/transformers containing PCB's

A maximum in total of 6 tonnes of engines and gearboxes containing fluids

A maximum in total of 6 tonnes of brakes and clutch linings containing asbestos

A maximum in total of 300 tyres

A maximum in total of 60 tonnes of vehicle batteries

B.2 The following wastes shall not be received at or stored within the site:

- (a) Except as may be permitted by Condition B.1, no Special Waste as defined by Regulations in force under Section 62 of the Environmental Protection Act 1990;
- (b) Materials which would have been notifiable to the WDA under the Deposit of Poisonous Waste Act 1972 and the Deposit of Poisonous Waste (Notification of Removal or Deposit) Regulations 1972 made thereunder;
- (c) Percussives and explosives and other substances with similar characteristics, (not being explosives within the meaning of the Explosives Act 1875) except where such wastes are in such a form or state that their percussive or explosive properties are, and will remain, ineffective;
- (d) Any waste containing flammable solvents, except petrol;
- (e) Any waste containing elemental sodium or potassium;
- (f) Any metal which is in fine powder form.





C. STORAGE/HANDLING/PROCESSING OF PERMITTED CONTROLLED WASTES

- C.1** All transformers and capacitors shall be assumed to contain polychlorinated bi-phenyl unless there is written evidence to the contrary. Such evidence shall be made available to the WDA upon request.
- C.2** Transformers and capacitors and other electrical equipment known or assumed to contain polychlorinated bi-phenyl and weighing more than 0.5 kilogramme each shall be stored securely.
- C.3** No breaking, crushing, draining or flushing of equipment containing liquid polychlorinated bi-phenyls shall be undertaken unless an appropriate installation is available and approval for its use authorised by the WDA.
- C.4** A sign stating 'polychlorinated bi-phenyl is being stored' shall be prominently displayed within the site. Fire fighting and other equipment to deal with leaking capacitors and spillages shall be immediately on hand for use.
- C.5** Batteries shall be stored intact in a bunded storage area. This area shall be constructed with an impervious base and perimeter bund so as to prevent the escape of any of the contents of batteries or any contaminated liquid. The bunded area shall be covered so as to prevent any ingress of water.
- C.6** Batteries shall be handled within the site in such a manner that they are not damaged and every effort shall be made to ensure that the contents are not spilled or otherwise allowed to escape from the casing.
- C.7** All batteries which are not of the lead/acid type shall be stored in a separate closed container within the bunded area referred to in Condition C.5. This container shall be constructed so as to prevent the escape of any of the contents of batteries or any contaminated liquid.
- C.8** Drainage of batteries shall not take place within the site.
- C.9** All vehicles, engines and other machinery that are accepted at the site shall be immediately drained of free running oil and other liquids within a bunded hardstanding area. All practical measures shall be taken to ensure that drained liquids are removed from the bunded area for disposal.
- C.10** Liquids which are drained under Condition C.9 shall be stored in containers of a type and construction suitable for the liquids they contain and labelled to show their contents. Any misleading, or inappropriate names and markings shall be obliterated.
- C.11** The storage containers required by Condition C.10 shall be kept in a bunded compound having a capacity of not less than 110% of the capacity of the largest container. The floor and walls of the bunded area shall be impervious to the contents of the containers.





- C.12** All areas used for the drainage and storage of fuel shall be designated and prominently labelled as NO SMOKING AREAS.
- C.13** No waste material shall be burned within the boundaries of the site.
- C.14** Metal swarf shall be stored in an impervious surfaced bunded area draining to a blind sump.
- C.15** The cutting or crushing of any container, tank or vessel shall be done in such a way as to prevent any spillage on to the ground.
- C.16** Immediate action shall be taken to clear or alleviate the effect of any spillage.
- C.17** Adequate quantities of sand or other inert absorbent material shall be kept on site for use in the event of any spillage.





D. SITE SURFACES AND DRAINAGE

- D.1** No polluting matter shall be discharged from the site to any watercourse or sewer (or any underground resource) except under a consent for that purpose.
- D.2** Site drainage facilities shall be constructed and maintained in accordance with the working plan so as to prevent any accumulation of water within the site.
- D.3** Water shall be removed from any bunded area and disposed of so as to maintain the available capacity of the bunded area. Any spillage within a bunded area shall be removed forthwith.
- D.4** Site roads shall be provided in accordance with the working plan and shall be maintained to that standard.





E. NUISANCE CONTROL

- E.1** Precautions shall be taken to deal effectively with any vermin and insects within the site.
- E.2** Measures shall be taken to contain windblown materials within the site. Any windblown material carried off the site shall be collected and disposed of immediately.
- E.3** Any loose waste or litter within the site shall be collected and disposed of so as to keep the site tidy.
- E.4** The site area shall be sprayed with water as often as may be necessary to suppress dust.
- E.5** Measures shall be taken to ensure that mud, debris or any other material is not deposited on any highway by vehicles leaving the site.
- E.6** If fouling or discolouration of the highway should occur, then immediate steps shall be taken to cleanse affected areas.
- E.7** Any material deposited on the public highway by vehicles using the site shall be collected and returned to the site forthwith.





F. EMERGENCIES AND RECORD KEEPING

- F.1** Any fire occurring within the confines of the site shall be treated as an emergency and immediate action shall be taken to extinguish it. All outbreaks of fire shall be reported immediately to the WDA.
- F.2** A site diary shall be kept in the site office and shall be made available to the WDA at any reasonable time. The licence holder shall use the site diary to record a daily log of events relating to the operation of the site. Any officer of the WDA may record in the site diary any comments on the condition of the site during any visit to the site.
- F.3** The licence holder shall, in addition to the daily log required to be kept under Condition F.2 keep a record of all controlled waste deposited and removed from the site. The record shall include:
- (a) The origin of such material;
 - (b) The date delivery took place;
 - (c) The types and quantities of such waste;
 - (d) The date removal took place;
 - (e) The types and quantities of waste removed;
- The record shall be open to inspection by the WDA at any reasonable time.
- F.4** The licence holder shall submit to the WDA, on forms supplied by the WDA, a summary of the types and quantities of waste deposited at and removed from the site each month and the ultimate destination(s) of the wastes indicated on the forms. The summary shall be submitted to the WDA before the 21st day of the following month.





APPENDIX B(II)

GENERAL WASTE THAT IS SCRAP METAL

Scrap metal waste, in solid, sheet or tube form and which will oxidise only slowly, and is only slightly soluble in water.

Scrap metal waste, comprising of manufactured items (which may or may not be made up of both ferrous and non-ferrous metals and non-metallic parts), swarfs, metal powders, granules or dusts, metal oxides as listed below, which will oxidise only slowly, and is only slightly soluble in water.

Ferrous metal in solid, sheet, strip, tube form, swarf, dusts and particulate scrap.

Non-ferrous metal in solid, sheet, strip or tube form, e.g. aluminium, brass, copper, tin, zinc, lead and their alloys.

Heavy industrial machinery

Ships

Fighting vehicles, other than lorries, jeeps and cars

Guns, rocket launchers and guided missile launchers, but not their control vehicles

Locomotives

Railway engines

Decontaminated empty metal containers

Cars/car bodies

Lorries/lorry bodies

Other vehicles/vehicle bodies

Engines/gearboxes/axle assemblies, etc.

Domestic appliances

Light industrial machinery

Aircraft

Railway carriages and wagons

Computers and other electronic equipment

Decontaminated transformers

Industrial and commercial process plant and equipment

Office furniture and equipment

Fragmentised metal scrap (ferrous or non-ferrous) that is waste Light ferrous metal scrap that is waste

Light non-ferrous metal scrap that is waste

Unsorted metal scrap that is waste

Ferrous and non-ferrous metal turnings, swarf, granules, dusts or powders

EXCLUSIONS

No wastes included in this category are permitted if they are mixed or contaminated with hazardous amounts of any noxious, poisonous or polluting substances.

All sludges or liquids.

